

PV
AC ANTENNAS
2024

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV	PV	Gain	Frequency
				(EUR/HT)	(EUR/TT)	(dBd/Marine)	(MHz)
VHF							
100057-P	CELmar0	AC-CELmar0	Stainless Steel whip, UHF-female connector, 5/8" 24TPI male thread incl. washer & nut	63,25	75,90	0/3	156-162.5
100056-P	CELmar0T	AC-CELmar0T	Stainless Steel whip, tunable +/- 3MHz within 141-179MHz band, UHF-female connector, 5/8" 24TPI male thread incl. washer & nut	64,40	77,28	0/3	141-179, Fc +/- 3
100000-P	CELmar0-1	AC-CELmar0-1	Stainless Steel whip incl. mast bracket N163F, UHF-female connector, 5/8" 24TPI male thread incl. washer & nut	67,85	81,42	0/3	156-162.5
100001-P	CELmar0-11	AC-CELmar0-11	Stainless Steel whip incl mast bracket N163F, UHF-female connector, 5/8" 24TPI male thread incl. washer & nut & 20m RG58 cable w/ UHF-male connector	93,15	111,78	0/3	156-162.5
100010-P	CELmarVHF	AC-CELmarVHF	Lightweight fibreglass whip incl. mast bracket N163F, UHF-female connector, 5/8" 24TPI male thread incl. washer & nut	75,90	91,08	0/3	156-162.5
100003-P	CELmar1-1	AC-CELmar1-1	Lightweight fibreglass antenna, UHF-female connector, 5/8" 24TPI male thread	74,75	89,70	0/3	149-162.5
100005-P	CELmar2-1	AC-CELmar2-1	Light weight fibreglass antenna, 1" 14TPI ferrule, incl. 6m RG58 cable	70,15	84,18	0/3	156-162.5
100006-P	CELmar2-1FME	AC-CELmar2-1FME	Light weight fibreglass antenna, FME connector, UHF male adapter, 1" 14TPI ferrule, incl. 6m RG58 cable	74,75	89,70	0/3	156-162.5
100007-P	CELmar2-2	AC-CELmar2-2	Light weight fibreglass antenna, 1" 14TPI ferrule, incl. 18m RG58 cable	90,85	109,02	0/3	156-162.5
100008-P	CELmar2-3	AC-CELmar2-3	Light weight fibreglass antenna, 1" 14TPI ferrule, incl. 10m RG58 cable	73,60	88,32	0/3	156-162.5
130000-P	CELmar3-1	AC-CELmar3-1	Light weight fibreglass antenna, 1" 14TPI ferrule, incl. 6m RG58 cable	117,30	140,76	3/6	156-162.5
130000-T	CELmar3-10	AC-CELmar3-10	Light weight fibreglass antenna, 1" 14TPI ferrule, incl. 6m RG58 cable - packed in tube	113,85	136,62	3/6	156-162.5
130001-P	CELmar3-2	AC-CELmar3-2	Light weight fibreglass antenna, 1" 14TPI ferrule, incl. 18m RG58 cable	127,65	153,18	3/6	156-162.5
100009-P	CELmar4	AC-CELmar4	Coaxial dipole antenna, 1" 14TPI ferrule, incl. 6m RG58 cable	109,25	131,10	0/3	146-162.5
100011-T	CX4	AC-CX4	Coaxial dipole antenna, UHF-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F	96,60	115,92	0/3	146-162.5
100012-T	CX4-1	AC-CX4-1	Coaxial dipole antenna, N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F	96,60	115,92	0/3	146-162.5
100015-T	CX4-3	AC-CX4-3	Coaxial dipole antenna, UHF-female connector, 1" 14TPI male, excl. N239F	93,15	111,78	0/3	146-162.5
100017-T	CX4-6	AC-CX4-6	Coaxial dipole antenna, N-female connector, 1" 14TPI male, excl. N239F	93,15	111,78	0/3	146-162.5
100018-T	CX4-8	AC-CX4-8	Coaxial dipole antenna, UHF-female connector, 1" 14TPI male, excl. N239F	121,90	146,28	0/3	135-150
100019-T	CX4-9	AC-CX4-9	Coaxial dipole antenna, N-female connector, 1" 14TPI male, excl. N239F	111,55	133,86	0/3	118-137
100013-T	CX4-11	AC-CX4-11	Coaxial dipole antenna, UHF-female connector, 1" 14TPI male, excl. N239F	95,45	114,54	0/3	154-174
100014-T	CX4-12	AC-CX4-12	Coaxial dipole antenna, N-female connector, 1" 14TPI male, excl. N239F	95,45	114,54	0/3	154-174
130002-T	CX3 5/8	AC-CX3-5/8	Collinear heavy duty antenna, UHF-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F	169,05	202,86	3/6	156-162.5
130003-T	CX3 5/8-1	AC-CX3 5/8-1	Collinear heavy duty antenna, N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F	169,05	202,86	3/6	156-162.5
130004-T	CX3 5/8-10	AC-CX3 5/8-10	Collinear heavy duty antenna, UHF-female connector, 1" 14TPI male, excl. N239F	163,30	195,96	3/6	156-162.5
150001-T	PD66-6 (*1)	AC-PD66-6 (*1)	2-section heavy duty omni-directional glassfibre antenna, 1" 14TPI ferrule incl. 6m cable	420,90	505,08	5/10	156-162.5
(1) Note: limited stock							
VHF (BLACK COLOR)							
100022-T	CX4b	AC-CX4b	Black - Coaxial dipole antenna, UHF-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F	96,60	115,92	0/3	146-162.5
100059-T	CX4b-1	AC-CX4b-1	Black - Coaxial dipole antenna, N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F	96,60	115,92	0/3	146-162.5
100061-T	CX4b-3	AC-CX4b-3	Black - Coaxial dipole antenna, UHF-female connector, 1" 14TPI male, excl. N239F	93,15	111,78	0/3	146-162.5
100023-T	CX4b-6	AC-CX4b-6	Black - Coaxial dipole antenna, N-female connector, 1" 14TPI male, excl. N239F	93,15	111,78	0/3	146-162.5
100065-T	CX4b-8	AC-CX4b-8	Black - Coaxial dipole antenna, UHF-female connector, 1" 14TPI male, excl. N239F	121,90	146,28	0/3	135-150
100066-T	CX4b-11	AC-CX4b-11	Black - Coaxial dipole antenna, UHF-female connector, 1" 14TPI male, excl. N239F	95,45	114,54	0/3	154-174
100024-C	VHF-light100	AC-VHF-light100	Volume pack, 100 antennas. Light fiberglass whip antenna, UHF-female connector, 1" 14TPI male.	4 775,95	5 731,14	0/3	156-162.5
100026-C	VHF-light100/N239F	AC-VHF-light100/N239F	Volume pack, 100 antennas incl. mounting nut N239F. Light fiberglass whip antenna, UHF-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount.	5 732,75	6 879,30	0/3	156-162.5
100027-C	VHF-light100/MC	AC-VHF-light100/MC	Volume pack, 100 antennas incl. mount N162F, and 6m RG58C/U & 1 pc PL259/UHF male. Light fiberglass whip antenna, UHF-female con., 1" 14TPI male.	6 687,25	8 024,70	0/3	156-162.5
400006-T	4GMultiband	AC-4GMultiband	Omnidirectional multiband antenna, for all cellular bands 800-2700MHz, N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F	111,55	133,86	0/3	790-960/1710-2690

PV
AC ANTENNAS
2024

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV	PV	Gain	Frequency
				(EUR/HT)	(EUR/TTC)	(dBd/Marine)	(MHz)
WI-FI CELLULAR 2.4GHz/UMTS							
460000-T	CEL24	AC-CEL24	WiFi glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F	201,25	241,50	6/12	2310-2485
450001-T	CEL21	AC-CEL21	UMTS glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F	124,20	149,04	6/12	1920-2170
VHF/GPS							
490001-T	VHF/GPS	AC-VHF/GPS	Omnidirectional multiband antenna. N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F, 18 dB active gain GPS/GLONASS.	356,50	427,80		156-162.5, 1575.42, 1602
490011-T	VHF/GPS-01	AC-VHF/GPS-01	Omnidirectional multiband antenna. N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F, 18 dB active gain GPS/GLONASS. Incl VHF/GPS-FILTER and cable set: N-female 0.5m / 1.6' RG58C/U & UHF-male 1.0m / 3' RG58C/U.	414,00	496,80		156-162.5, 1575.42, 1602
490012-T	VHF/GPS-02	AC-VHF/GPS-02	Omnidirectional multiband antenna. N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F, 18 dB active gain GPS/GLONASS. Incl VHF/GPS-FILTER and cable set: BNC-male 1.0m / 3' RG58C/U & TNC-male 1.0m / 3' RG58C/U.	414,00	496,80		156-162.5, 1575.42, 1602
490013-T	VHF/GPS-03	AC-VHF/GPS-03	Omnidirectional multiband antenna. N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F, 18 dB active gain GPS/GLONASS. Incl VHF/GPS-FILTER and cable set: N-female 0.5m / 1.6' RG58C/U, N-male 0.5m / 1.6' RG58C/U & TNC-male 0.5m / 1.6' RG58C/U.	433,55	520,26		156-162.5, 1575.42, 1602
490014-T	VHF/GPS-04	AC-VHF/GPS-04	Omnidirectional multiband antenna. N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F, 18 dB active gain GPS/GLONASS. Incl VHF/GPS-FILTER and cable set: TNC-male 1.0m / 3' RG58C/U & UHF-male 1.0m / 3' RG58C/U.	414,00	496,80		156-162.5, 1575.42, 1602
490015-T	VHF/GPS-05	AC-VHF/GPS-05	Omnidirectional multiband antenna. N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F, 18 dB active gain GPS/GLONASS. Incl VHF/GPS-FILTER and cable set: BNC-male 0.5m / 1.6' RG58C/U, TNC-male 0.5m / 1.6' RG58C/U & UHF-male 0.5m / 1.6' RG58C/U.	433,55	520,26		156-162.5, 1575.42, 1602
PUSHIONIN							
490003-P	GNSS	AC-GNSS	Heavy Duty active GNSS antenna covering 5 global navigation systems: GPS (L1), Galileo (E1), Glonass (G1), BeiDou (B1) and Egnos (L1), SMA-female connector. Gain: GPS=26dB, Galileo=26dB, Glonass=26dB, BeiDou=25dB & Egnos=26dB.	85,10	102,12		L1, E1, G1, B1, L1
DAB/FM							
400035-T	DAB-FM	AC-DAB-FM	Professional combined DAB-FM Omnidirectional glassfiber antenna, 1" 14TPI male & 1 1/4" 11 TPI female mount, incl. N239F	179,40	215,28		136
100057-P	CELmar0	AC-CELmar0	Stainless Steel VHF whip incl. DAB/FM, UHF-female connector, 5/8" 24TPI male thread incl. washer & nut	63,25	75,90		41
100000-P	CELmar0-1	AC-CELmar0-1	Stainless Steel VHF whip incl. DAB/FM, incl. mast bracket N163F, UHF-female connector, 5/8" 24TPI male thread incl. washer & nut	67,85	81,42		45
100001-T	CELmar0-10	AC-CELmar0-10	Stainless Steel VHF whip incl DAB/FM, incl mast bracket N163F, UHF-female, 5/8" 24TPI male thread incl. washer & nut, 20m RG58 cable w/ UHF connector, tube	89,70	107,64		67
100001-P	CELmar0-11	AC-CELmar0-11	Stainless Steel VHF whip incl. DAB/FM, incl. mast bracket N163F, UHF-female, 5/8" 24TPI male thread incl. washer & nut & 20m RG58 cable w/ UHF connector	93,15	111,78		63
100005-P	CELmar2-1	AC-CELmar2-1	Light weight VHF fibreglass antenna incl. DAB/FM, 1" 14TPI ferrule, incl. 6m RG58 cable	70,15	84,18		47
100006-P	CELmar2-1FME	AC-CELmar2-1FME	Light weight VHF fibreglass antenna incl. DAB/FM, UHF-female connector, 1" 14TPI ferrule, incl. 6m RG58 cable	74,75	89,70		50
100007-P	CELmar2-2	AC-CELmar2-2	Light weight VHF fibreglass antenna incl. DAB/FM, 1" 14TPI ferrule, incl. 18m RG58 cable	90,85	109,02		62
100008-P	CELmar2-3	AC-CELmar2-3	Light weight VHF fibreglass antenna incl. DAB/FM, 1" 14TPI ferrule, incl. 10m RG58 cable	73,60	88,32		49
130000-P	CELmar3-1	AC-CELmar3-1	Light weight VHF fibreglass antenna incl. DAB/FM, 1" 14TPI ferrule, incl. 6m RG58 cable	117,30	140,76		82
130000-T	CELmar3-10	AC-CELmar3-10	Light weight VHF fibreglass antenna incl. DAB/FM, 1" 14TPI ferrule, incl. 6m RG58 cable - packed in tube	113,85	136,62		86
130001-P	CELmar3-2	AC-CELmar3-2	Light weight VHF fibreglass antenna incl. DAB/FM, 1" 14TPI ferrule, incl. 18m RG58 cable	127,65	153,18		90
400004-T	FAME1	AC-FAME1	Professional FM/AM omnidirectional glassfibre antenna including DAB, UHF-female connector, 1" 14TPI male & 1 1/4" 11 TPI female, incl. N239F	89,70	107,64		67
400005-P	FAME2	AC-FAME2	Professional FM/AM omnidirectional glassfibre antenna including DAB, 1" 14TPI Ferrule incl. 18m/60' RG58 cable	109,25	131,10		77
430012-T	FAME3	AC-FAME3	Professional FM/AM omnidirectional glassfibre antenna including DAB, UHF-female connector, 1" 14TPI male & 1 1/4" 11 TPI female, incl. N239F	128,80	154,56		97
430011-P	FAME4	AC-FAME4	Professional FM/AM omnidirectional glassfibre antenna including DAB, 1" 14TPI Ferrule incl. 18m/60' RG58 cable	149,50	179,40		107
100024-C	VHF-light100	AC-VHF-light100	VHF 100 pcs volume pack incl. DAB/FM, Light fiberglass whip antenna, UHF-female connector, 1" 14TPI male.	4 775,95	5 731,14		3640
100026-C	VHF-light100/N239F	AC-VHF-light100/N239F	VHF 100 pcs volume pack incl. DAB/FM, incl. mounting nut N239F. Light fiberglass whip antenna, UHF-female, 1" 14TPI male & 1 1/4" 11 TPI female mount.	5 732,75	6 879,30		4368
100027-C	VHF-light100/MC	AC-VHF-light100/MC	VHF 100 pcs volume pack incl. DAB/FM, incl. mount N162F, and 6m RG58C/U & 1 pc PL259/UHF male. Light fiberglass whip antenna, UHF-female, 1" 14TPI male.	6 687,25	8 024,70		5096
RECEIVING							
400008-T	NAVTEX3e	AC-NAVTEX3e	Heavy duty active rod antenna, 3-bands UHF-female connector, 1/4" 11 TPI female mount, incl. N239F	295,55	354,66		490/518/4209.5
CB							
100051-P	CB6	AC-CB6	Light weight omni-directional antenna for HF/SSB Citizen Band, 1" 14TPI Ferrule incl. 6m cable	151,80	182,16	3/6	26.8-28
TV							
990043-B	UFO3 (*1)	AC-UFO3 (*1)	Broadcast digital active receiving antenna for FM/TV, analogue and digital signals, incl. mounting hardware, excl power supply, F-female, 28 dB amplification	144,90	173,88		87.5-790

(*1) note:
limited stock

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV (EUR/HT)	PV (EUR/TTC)	Gain (dBd/Marine)	Frequency (MHz)
UHF - ANTENNA ONLY							
300007-T	CX-UHF0-L	AC-CX-UHF0-L	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	93,15	111,78	0/3	380-430
300008-T	CX-UHF0-M	AC-CX-UHF0-M	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	93,15	111,78	0/3	420-470
300009-T	CX-UHF0-H	AC-CX-UHF0-H	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	93,15	111,78	0/3	460-510
330006-T	CX-UHF3-LL	AC-CX-UHF3-LL	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	172,50	207,00	3/6	380-410
330007-T	CX-UHF3-LH	AC-CX-UHF3-LH	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	172,50	207,00	3/6	400-430
330008-T	CX-UHF3-ML	AC-CX-UHF3-ML	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	172,50	207,00	3/6	420-450
330009-T	CX-UHF3-MH	AC-CX-UHF3-MH	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	172,50	207,00	3/6	440-470
330010-T	CX-UHF3-HL	AC-CX-UHF3-HL	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	172,50	207,00	3/6	460-490
330011-T	CX-UHF3-HH	AC-CX-UHF3-HH	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	172,50	207,00	3/6	480-510
350004-T	CX-UHF5-LL	AC-CX-UHF5-LL	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	277,15	332,58	5/10	380-405
350005-T	CX-UHF5-LH	AC-CX-UHF5-LH	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	277,15	332,58	5/10	405-430
350006-T	CX-UHF5-ML	AC-CX-UHF5-ML	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	277,15	332,58	5/10	420-450
350007-T	CX-UHF5-MH	AC-CX-UHF5-MH	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male	277,15	332,58	5/10	440-470
UHF - INCL. MOUNT (N275F)							
300010-T	CX-UHF0-L-A	AC-CX-UHF0-L-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	131,10	157,32	0/3	380-430
300011-T	CX-UHF0-M-A	AC-CX-UHF0-M-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	131,10	157,32	0/3	420-470
300012-T	CX-UHF0-H-A	AC-CX-UHF0-H-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	131,10	157,32	0/3	460-510
330012-T	CX-UHF3-LL-A	AC-CX-UHF3-LL-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	209,30	251,16	3/6	380-410
330013-T	CX-UHF3-LH-A	AC-CX-UHF3-LH-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	209,30	251,16	3/6	400-430
330014-T	CX-UHF3-ML-A	AC-CX-UHF3-ML-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	209,30	251,16	3/6	420-450
330015-T	CX-UHF3-MH-A	AC-CX-UHF3-MH-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	209,30	251,16	3/6	440-470
330016-T	CX-UHF3-HL-A	AC-CX-UHF3-HL-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	209,30	251,16	3/6	460-490
330017-T	CX-UHF3-HH-A	AC-CX-UHF3-HH-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	209,30	251,16	3/6	480-510
350008-T	CX-UHF5-LL-A	AC-CX-UHF5-LL-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	315,10	378,12	5/10	380-405
350009-T	CX-UHF5-LH-A	AC-CX-UHF5-LH-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	315,10	378,12	5/10	405-430
350010-T	CX-UHF5-ML-A	AC-CX-UHF5-ML-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	315,10	378,12	5/10	420-450
350011-T	CX-UHF5-MH-A	AC-CX-UHF5-MH-A	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, incl. N275F	315,10	378,12	5/10	440-470
UHF - INCL. MOUNT (N274F & N239F)							
300013-T	CX-UHF0-L-B	AC-CX-UHF0-L-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	136,85	164,22	0/3	380-430
300014-T	CX-UHF0-M-B	AC-CX-UHF0-M-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	136,85	164,22	0/3	420-470
300015-T	CX-UHF0-H-B	AC-CX-UHF0-H-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	136,85	164,22	0/3	460-510
330018-T	CX-UHF3-LL-B	AC-CX-UHF3-LL-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	216,20	259,44	3/6	380-410
330019-T	CX-UHF3-LH-B	AC-CX-UHF3-LH-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	216,20	259,44	3/6	400-430
330020-T	CX-UHF3-ML-B	AC-CX-UHF3-ML-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	216,20	259,44	3/6	420-450
330021-T	CX-UHF3-MH-B	AC-CX-UHF3-MH-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	216,20	259,44	3/6	440-470
330022-T	CX-UHF3-HL-B	AC-CX-UHF3-HL-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	216,20	259,44	3/6	460-490
330023-T	CX-UHF3-HH-B	AC-CX-UHF3-HH-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	216,20	259,44	3/6	480-510
350012-T	CX-UHF5-LL-B	AC-CX-UHF5-LL-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	320,85	385,02	5/10	380-405
350013-T	CX-UHF5-LH-B	AC-CX-UHF5-LH-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	320,85	385,02	5/10	405-430
350014-T	CX-UHF5-ML-B	AC-CX-UHF5-ML-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	320,85	385,02	5/10	420-450
350015-T	CX-UHF5-MH-B	AC-CX-UHF5-MH-B	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F & N274F	320,85	385,02	5/10	440-470
UHF - INCL. SWIVEL NUT (N239F)							
300016-T	CX-UHF0-L-C	AC-CX-UHF0-L-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	97,75	117,30	0/3	380-430
300017-T	CX-UHF0-M-C	AC-CX-UHF0-M-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	97,75	117,30	0/3	420-470
300018-T	CX-UHF0-H-C	AC-CX-UHF0-H-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	97,75	117,30	0/3	460-510
330024-T	CX-UHF3-LL-C	AC-CX-UHF3-LL-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	177,10	212,52	3/6	380-410
330025-T	CX-UHF3-LH-C	AC-CX-UHF3-LH-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	177,10	212,52	3/6	400-430
330026-T	CX-UHF3-ML-C	AC-CX-UHF3-ML-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	177,10	212,52	3/6	420-450

PV
AC ANTENNAS
2024

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV	PV	Gain	Frequency
				(EUR/HT)	(EUR/TTC)	(dBd/Marine)	(MHz)
330027-T	CX-UHF3-MH-C	AC-CX-UHF3-MH-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	177,10	212,52	3/6	440-470
330028-T	CX-UHF3-HL-C	AC-CX-UHF3-HL-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	177,10	212,52	3/6	460-490
330029-T	CX-UHF3-HH-C	AC-CX-UHF3-HH-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	177,10	212,52	3/6	480-510
350016-T	CX-UHF5-LL-C	AC-CX-UHF5-LL-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	281,75	338,10	5/10	380-405
350017-T	CX-UHF5-LH-C	AC-CX-UHF5-LH-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	281,75	338,10	5/10	405-430
350018-T	CX-UHF5-ML-C	AC-CX-UHF5-ML-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	281,75	338,10	5/10	420-450
350019-T	CX-UHF5-MH-C	AC-CX-UHF5-MH-C	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11TPI female, incl. N239F	281,75	338,10	5/10	440-470
UHF							
330003-T	CXU3-2 (*1)	AC-CXU3-2 (*1)	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, excl. N239F	80,50	96,60	3/6	410-430
330002-T	CXU3-10 (*1)	AC-CXU3-10 (*1)	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male, excl. N239F	115,00	138,00	3/6	440-460
350003-T	CXU4-3 (*1)	AC-CXU4-3 (*1)	Omnidirectional glassfibre antenna, N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female, incl. N239F	201,25	241,50	5/10	380-405
(*1) Note: limited stock							
UHF/VHF							
400036-T	UHF/VHF2	AC-UHF/VHF2	Omnidirectional multiband antenna, N-female connector, 1" 14TPI male & 1 1/4" 11 TPI female, incl. N239F	102,35	122,82	0/3 / 0/3	146-162.5/420-440
(*1) Note: limited stock							

PV
AC ANTENNAS
2024

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV (EUR/HT)	PV (EUR/TTC)	Gain (dBd/Marine)	Frequency (MHz)
HF/SSB - ACTIVE - COMPACT							
204100-T	KUM041	AC-KUM041	Broadband compact HF/SSB active antenna, Rx only, UHF-female connector, 1" 14TPI male and 1 1/4" 11 TPI female mount, incl. N239F	380,65	456,78	0.4	0.15-30
212100-T	KUM121	AC-KUM121	Broadband compact HF/SSB active antenna, Rx only, UHF-female connector, 1" 14TPI male and 1 1/4" 11 TPI female mount, incl. N239F	361,10	433,32	1.3	0.15-30
HF/SSB - PASSIVE - MAST MOUNT							
248000-P	KUM480	AC-KUM480	2 sections, side feed, 500W antenna, for mast mounting, for wire installation, Tx/Rx	243,80	292,56	5	1.4-30
248001-P	KUM480-1	AC-KUM480-1	2 sections, side feed, 500W antenna, for mast mounting, for coaxial cable installation, Tx/Rx	312,80	375,36	5	1.4-30
248002-P	KUM480-2	AC-KUM480-2	2 sections, side feed, for mast mounting, for coaxial cable installation, Rx only	340,40	408,48	5	0.15-30
260000-P	KUM600	AC-KUM600	2 sections, side feed, 750W antenna, for mast mounting, for wire installation, Tx/Rx	277,15	332,58	6	1.4-30
260001-P	KUM600-1	AC-KUM600-1	2 sections, side feed, 750W antenna, for mast mounting, for coaxial cable installation, Tx/Rx	346,15	415,38	6	1.4-30
260002-P	KUM600-2	AC-KUM600-2	2 sections, side feed, for mast mounting, for coaxial cable installation, Rx only	373,75	448,50	6	0.15-30
260002-T	KUM600-2	AC-KUM600-2	2 sections, side feed, for mast mounting, for coaxial cable installation, Rx only	388,70	466,44	6	0.15-30
260300-P	KUM603	AC-KUM603	3 sections, side feed, 750W antenna, for mast mounting, for wire installation, Tx/Rx	333,50	400,20	6	1.4-30
260301-P	KUM603-1	AC-KUM603-1	3 sections, side feed, 750W antenna, for mast mounting, for coaxial cable installation, Tx/Rx	402,50	483,00	6	1.4-30
260302-P	KUM603-2	AC-KUM603-2	3 sections, side feed, for mast mounting, for coaxial cable installation, Rx only	430,10	516,12	6	0.15-30
270000-P	KUM700	AC-KUM700	2 sections, side feed, 1000W antenna, for mast mounting, for wire installation, Tx/Rx	317,40	380,88	7	1.4-30
270001-P	KUM700-1	AC-KUM700-1	2 sections, side feed, 1000W antenna, for mast mounting, for coaxial cable installation, Tx/Rx	386,40	463,68	7	1.4-30
270002-P	KUM700-2	AC-KUM700-2	2 sections, side feed, for mast mounting, for coaxial cable installation, Rx only	414,00	496,80	7	0.15-30
270300-P	KUM703	AC-KUM703	3 sections, side feed, 1000W antenna, for mast mounting, for wire installation, Tx/Rx	353,05	423,66	7	1.4-30
270301-P	KUM703-1	AC-KUM703-1	3 sections, side feed, 1000W antenna, for mast mounting, for coaxial cable installation, Tx/Rx	422,05	506,46	7	1.4-30
270302-P	KUM703-2	AC-KUM703-2	3 sections, side feed, for mast mounting, for coaxial cable installation, Rx only	449,65	539,58	7	0.15-30
280300-T	KUM803	AC-KUM803	3 sections, side feed, 1200W antenna, for mast mounting, for wire installation, Tx/Rx	525,55	630,66	8	1.4-30
280301-P	KUM803-1	AC-KUM803-1	3 sections, side feed, 1200W antenna, for mast mounting, for coaxial cable installation, Tx/Rx	606,05	727,26	8	1.4-30
280302-P	KUM803-2	AC-KUM803-2	3 sections, side feed, for mast mounting, for coaxial cable installation, Rx only	633,65	760,38	8	0.15-30
285000-P	KUM850	AC-KUM850	2 sections, side feed, 1200W antenna, for mast mounting, for wire installation, Tx/Rx	489,90	587,88	8	1.4-30
285001-P	KUM850-1	AC-KUM850-1	2 sections, side feed, 1200W antenna, for mast mounting, for coaxial cable installation, Tx/Rx	558,90	670,68	8	1.4-30
285002-P	KUM850-2	AC-KUM850-2	2 sections, side feed, for mast mounting, for coaxial cable installation, Rx only	586,50	703,80	8	0.15-30
290300-T	KUM903	AC-KUM903	3 sections, side feed, 1200W antenna, for mast mounting, for wire installation, Tx/Rx	594,55	713,46	9	1.4-30
290301-P	KUM903-1	AC-KUM903-1	3 sections, side feed, 1200W antenna, for mast mounting, for coaxial cable installation, Tx/Rx	675,05	810,06	9	1.4-30
290302-P	KUM903-2	AC-KUM903-2	3 sections, side feed, for mast mounting, for coaxial cable installation, Rx only	702,65	843,18	9	0.15-30
295000-P	KUM950	AC-KUM950	2 sections, side feed, 1200W antenna, for mast mount, for wire installation, Tx/Rx	545,10	654,12	9	1.4-30
295001-P	KUM950-1	AC-KUM950-1	2 sections, side feed, 1200W antenna, for mast mount, for coaxial cable installation, Tx/Rx	614,10	736,92	9	1.4-30
295002-P	KUM950-2	AC-KUM950-2	2 sections, side feed, for mast mount, for coaxial cable installation, Rx only	641,70	770,04	9	0.15-30
HF/SSB - PASSIVE - "FERRULE AND UPPER SUPPORT" MOUNT							
248100-P	KUM481	AC-KUM481	2 sections, side feed, 500W antenna, 1" 14TPI ferrule base, for wire installation, Tx/Rx	273,70	328,44	5	1.4-30
248101-P	KUM481-1	AC-KUM481-1	2 sections, side feed, 500W antenna, 1" 14TPI ferrule base, for coaxial cable installation, Tx/Rx	342,70	411,24	5	1.4-30
248102-P	KUM481-2	AC-KUM481-2	2 sections, side feed, 1" 14TPI ferrule base, for coaxial cable installation, Rx only	370,30	444,36	5	0.15-30
260100-P	KUM601	AC-KUM601	2 sections, side feed, 750W antenna, 1" 14TPI ferrule base, for wire installation, Tx/Rx	293,25	351,90	6	1.4-30
260101-P	KUM601-1	AC-KUM601-1	2 sections, side feed, 750W antenna, 1" 14TPI ferrule base, for coaxial cable installation, Tx/Rx	362,25	434,70	6	1.4-30
260102-P	KUM601-2	AC-KUM601-2	2 sections, side feed, 1" 14TPI ferrule base, for coaxial cable installation, Rx only	389,85	467,82	6	0.15-30
270100-P	KUM701	AC-KUM701	2 sections, side feed, 1000W antenna, 1" 14TPI ferrule base, for wire installation, Tx/Rx	346,15	415,38	7	1.4-30
270101-P	KUM701-1	AC-KUM701-1	2 sections, side feed, 1000W antenna, 1" 14TPI ferrule base, for coaxial cable installation, Tx/Rx	415,15	498,18	7	1.4-30
270102-P	KUM701-2	AC-KUM701-2	2 sections, side feed, 1" 14TPI ferrule base, for coaxial cable installation, Rx only	442,75	531,30	7	0.15-30
273100-P	KUM731	AC-KUM731	3 sections, side feed, 1000W antenna, 1" 14TPI ferrule base, for wire installation, Tx/Rx	372,60	447,12	7	1.4-30
273101-P	KUM731-1	AC-KUM731-1	3 sections, side feed, 1000W antenna, 1" 14TPI ferrule base, for coaxial cable installation, Tx/Rx	441,60	529,92	7	1.4-30
273102-P	KUM731-2	AC-KUM731-2	3 sections, side feed, 1" 14TPI ferrule base, for coaxial cable installation, Rx only	469,20	563,04	7	0.15-30

PV
AC ANTENNAS
2024

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV	PV	Gain	Frequency
				(EUR/HT)	(EUR/TTC)	(dBd/Marine)	(MHz)
HF/SSB - PASSIVE - MAST WALL MOUNT							
248020-P	KUM480MWM	AC-KUM480MWM	2 sections, side feed, 500W antenna, including mast wall mounting, for wire installation, Tx/Rx	369,15	442,98	5	1.4-30
248021-P	KUM480-1MWM	AC-KUM480-1MWM	2 sections, side feed, 500W antenna, including mast wall mounting, for coaxial cable installation, Tx/Rx	438,15	525,78	5	1.4-30
248022-P	KUM480-2MWM	AC-KUM480-2MWM	2 sections, side feed, including mast wall mounting, for coaxial cable installation, Rx only	465,75	558,90	5	0.15-30
260020-P	KUM600MWM	AC-KUM600MWM	2 sections, side feed, 750W antenna, including mast wall mounting, for wire installation, Tx/Rx	400,20	480,24	6	1.4-30
260021-P	KUM600-1MWM	AC-KUM600-1MWM	2 sections, side feed, 750W antenna, including mast wall mounting, for coaxial cable installation, Tx/Rx	469,20	563,04	6	1.4-30
260022-P	KUM600-2MWM	AC-KUM600-2MWM	2 sections, side feed, including mast wall mounting, for coaxial cable installation, Rx only	496,80	596,16	6	0.15-30
260320-P	KUM603MWM	AC-KUM603MWM	3 sections, side feed, 750W antenna, including mast wall mounting, for wire installation, Tx/Rx	456,55	547,86	6	1.4-30
260321-P	KUM603-1MWM	AC-KUM603-1MWM	3 sections, side feed, 750W antenna, including mast wall mounting, for coaxial cable installation, Tx/Rx	525,55	630,66	6	1.4-30
260322-P	KUM603-2MWM	AC-KUM603-2MWM	3 sections, side feed, including mast wall mounting, for coaxial cable installation, Rx only	553,15	663,78	6	0.15-30
270020-P	KUM700MWM	AC-KUM700MWM	2 sections, side feed, 1000W antenna, including mast wall mounting, for wire installation, Tx/Rx	442,75	531,30	7	1.4-30
270021-P	KUM700-1MWM	AC-KUM700-1MWM	2 sections, side feed, 1000W antenna, including mast wall mounting, for coaxial cable installation, Tx/Rx	511,75	614,10	7	1.4-30
270022-P	KUM700-2MWM	AC-KUM700-2MWM	2 sections, side feed, including mast wall mounting, for coaxial cable installation, Rx only	539,35	647,22	7	0.15-30
270320-P	KUM703MWM	AC-KUM703MWM	3 sections, side feed, 1000W antenna, including mast wall mounting, for wire installation, Tx/Rx	478,40	574,08	7	1.4-30
270321-P	KUM703-1MWM	AC-KUM703-1MWM	3 sections, side feed, 1000W antenna, including mast wall mounting, for coaxial cable installation, Tx/Rx	547,40	656,88	7	1.4-30
270322-P	KUM703-2MWM	AC-KUM703-2MWM	3 sections, side feed, including mast wall mounting, for coaxial cable installation, Rx only	575,00	690,00	7	0.15-30
280303-P	KUM803MWM	AC-KUM803MWM	3 sections, side feed, 1200W antenna, including mast wall mounting, for wire installation, Tx/Rx	662,40	794,88	8	1.4-30
280304-P	KUM803-1MWM	AC-KUM803-1MWM	3 sections, side feed, 1200W antenna, including mast wall mounting, for coaxial cable installation, Tx/Rx	731,40	877,68	8	1.4-30
280305-P	KUM803-2MWM	AC-KUM803-2MWM	3 sections, side feed, including mast wall mounting, for coaxial cable installation, Rx only	759,00	910,80	8	0.15-30
285003-P	KUM850MWM	AC-KUM850MWM	2 sections, side feed, 1200W antenna, including mast wall mounting, for wire installation, Tx/Rx	614,10	736,92	8	1.4-30
285004-P	KUM850-1MWM	AC-KUM850-1MWM	2 sections, side feed, 1200W antenna, including mast wall mounting, for coaxial cable installation, Tx/Rx	683,10	819,72	8	1.4-30
285005-P	KUM850-2MWM	AC-KUM850-2MWM	2 sections, side feed, including mast wall mounting, for coaxial cable installation, Rx only	710,70	852,84	8	0.15-30
290303-P	KUM903MWM	AC-KUM903MWM	3 sections, side feed, 1200W antenna, including mast wall mounting, for wire installation, Tx/Rx	730,25	876,30	9	1.4-30
290304-P	KUM903-1MWM	AC-KUM903-1MWM	3 sections, side feed, 1200W antenna, including mast wall mounting, for coaxial cable installation, Tx/Rx	799,25	959,10	9	1.4-30
290305-P	KUM903-2MWM	AC-KUM903-2MWM	3 sections, side feed, including mast wall mounting, for coaxial cable installation, Rx only	826,85	992,22	9	0.15-30
295003-P	KUM950MWM	AC-KUM950MWM	2 sections, side feed, 1200W antenna, including mast wall mounting, for wire installation, Tx/Rx	670,45	804,54	9	1.4-30
295004-P	KUM950-1MWM	AC-KUM950-1MWM	2 sections, side feed, 1200W antenna, including mast wall mounting, for coaxial cable installation, Tx/Rx	739,45	887,34	9	1.4-30
295005-P	KUM950-2MWM	AC-KUM950-2MWM	2 sections, side feed, including mast wall mounting, for coaxial cable installation, Rx only	767,05	920,46	9	0.15-30
HF/SSB - PASSIVE - DECK MOUNT							
280306-P	KUM803DM	AC-KUM803DM	3 sections, side feed, 1200W antenna, including deck mount, for wire installation, Tx/Rx	662,40	794,88	8	1.4-30
280307-P	KUM803-1DM	AC-KUM803-1DM	3 sections, side feed, 1200W antenna, including deck mount, for coaxial cable installation, Tx/Rx	731,40	877,68	8	1.4-30
280308-P	KUM803-2DM	AC-KUM803-2DM	3 sections, side feed, including deck mount, for coaxial cable installation, Rx only	759,00	910,80	8	0.15-30
285006-P	KUM850DM	AC-KUM850DM	2 sections, side feed, 1200W antenna, including deck mount, for wire installation, Tx/Rx	614,10	736,92	8	1.4-30
285007-P	KUM850-1DM	AC-KUM850-1DM	2 sections, side feed, 1200W antenna, including deck mount, for coaxial cable installation, Tx/Rx	683,10	819,72	8	1.4-30
285008-P	KUM850-2DM	AC-KUM850-2DM	2 sections, side feed, including deck mount, for coaxial cable installation, Rx only	710,70	852,84	8	0.15-30
290306-P	KUM903DM	AC-KUM903DM	3 sections, side feed, 1200W antenna, including deck mount, for wire installation, Tx/Rx	730,25	876,30	9	1.4-30
290307-P	KUM903-1DM	AC-KUM903-1DM	3 sections, side feed, 1200W antenna, including deck mount, for coaxial cable installation, Tx/Rx	799,25	959,10	9	1.4-30
290308-P	KUM903-2DM	AC-KUM903-2DM	3 sections, side feed, including deck mount, for coaxial cable installation, Rx only	826,85	992,22	9	0.15-30
295006-P	KUM950DM	AC-KUM950DM	2 sections, side feed, 1200W antenna, including deck mount, for wire installation, Tx/Rx	670,45	804,54	9	1.4-30
295007-P	KUM950-1DM	AC-KUM950-1DM	2 sections, side feed, 1200W antenna, including deck mount, for coaxial cable installation, Tx/Rx	739,45	887,34	9	1.4-30
295008-P	KUM950-2DM	AC-KUM950-2DM	2 sections, side feed, including deck mount, for coaxial cable installation, Rx only	767,05	920,46	9	0.15-30
HF/SSB - PASSIVE - DECK MOUNT COMPATIBLE							
280309-P	KUM803DMC	AC-KUM803DMC	3 sections, side feed, 1200W antenna, including deck mount compatible, for wire installation, Tx/Rx	662,40	794,88	8	1.4-30
280310-P	KUM803-1DMC	AC-KUM803-1DMC	3 sections, side feed, 1200W antenna, including deck mount compatible, for coaxial cable installation, Tx/Rx	731,40	877,68	8	1.4-30
280311-P	KUM803-2DMC	AC-KUM803-2DMC	3 sections, side feed, including deck mount compatible, for coaxial cable installation, Rx only	759,00	910,80	8	0.15-30
285009-P	KUM850DMC	AC-KUM850DMC	2 sections, side feed, 1200W antenna, including deck mount compatible, for wire installation, Tx/Rx	614,10	736,92	8	1.4-30
285010-P	KUM850-1DMC	AC-KUM850-1DMC	2 sections, side feed, 1200W antenna, including deck mount compatible, for coaxial cable installation, Tx/Rx	683,10	819,72	8	1.4-30
285011-P	KUM850-2DMC	AC-KUM850-2DMC	2 sections, side feed, including deck mount compatible, for coaxial cable installation, Rx only	710,70	852,84	8	0.15-30
290309-P	KUM903DMC	AC-KUM903DMC	3 sections, side feed, 1200W antenna, including deck mount compatible, for wire installation, Tx/Rx	730,25	876,30	9	1.4-30
290310-P	KUM903-1DMC	AC-KUM903-1DMC	3 sections, side feed, 1200W antenna, including deck mount compatible, for coaxial cable installation, Tx/Rx	799,25	959,10	9	1.4-30

PV
AC ANTENNAS
2024

Part No.	Product Name	Product Name	Description	PV	PV	Gain	Frequency
(#)	(name)	(name)	(short description)	(EUR/HT)	(EUR/TTC)	(dBd/Marine)	(MHz)
290311-P	KUM903-2DMC	AC-KUM903-2DMC	3 sections, side feed, including deck mount compatible, for coaxial cable installation, Rx only	826,85	992,22	9	0.15-30
295009-P	KUM950DMC	AC-KUM950DMC	2 sections, side feed, 1200W antenna, including deck mount compatible, for wire installation, Tx/Rx	670,45	804,54	9	1.4-30
295010-P	KUM950-1DMC	AC-KUM950-1DMC	2 sections, side feed, 1200W antenna, including deck mount compatible, for coaxial cable installation, Tx/Rx	739,45	887,34	9	1.4-30
295011-P	KUM950-2DMC	AC-KUM950-2DMC	2 sections, side feed, including deck mount compatible, for coaxial cable installation, Rx only	767,05	920,46	9	0.15-30

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV	PV	Gain	Frequency
				(EUR/HT)	(EUR/TTC)	(dBd/Marine)	(MHz)
CABLE							
920039-P	CA-RG58CU-W-10m	AC-CA-RG58CU-W-10m	50 Ohm RF coaxial cable, RG58CU, 10m, white, MIL-C-17F	24,73	29,67	10	
920040-P	CA-RG58CU-W-20m	AC-CA-RG58CU-W-20m	50 Ohm RF coaxial cable, RG58CU, 20m, white, MIL-C-17F	38,41	46,09	20	
920041-P	CA-RG58CU-W-30m	AC-CA-RG58CU-W-30m	50 Ohm RF coaxial cable, RG58CU, 30m, white, MIL-C-17F	52,10	62,51	30	
920042-P	CA-RG58CU-W-40m	AC-CA-RG58CU-W-40m	50 Ohm RF coaxial cable, RG58CU, 40m, white, MIL-C-17F	67,28	80,73	40	
920043-B	CA-RG58CU-W-50m	AC-CA-RG58CU-W-50m	50 Ohm RF coaxial cable, RG58CU, 50m, white, MIL-C-17F	72,91	87,49	50	
920044-D	CA-RG58CU-W-100m	AC-CA-RG58CU-W-100m	50 Ohm RF coaxial cable, RG58CU, 100m, white, MIL-C-17F	130,76	156,91	100	
920045-D	CA-RG58CU-W-500m	AC-CA-RG58CU-W-500m	50 Ohm RF coaxial cable, RG58CU, 500m, white, MIL-C-17F	649,29	779,15	500	
920046-P	CA-RG58CU-B-10m	AC-CA-RG58CU-B-10m	50 Ohm RF coaxial cable, RG58CU, 10m, black, MIL-C-17F	24,73	29,67	10	
920047-P	CA-RG58CU-B-20m	AC-CA-RG58CU-B-20m	50 Ohm RF coaxial cable, RG58CU, 20m, black, MIL-C-17F	38,41	46,09	20	
920048-P	CA-RG58CU-B-30m	AC-CA-RG58CU-B-30m	50 Ohm RF coaxial cable, RG58CU, 30m, black, MIL-C-17F	52,10	62,51	30	
920049-P	CA-RG58CU-B-40m	AC-CA-RG58CU-B-40m	50 Ohm RF coaxial cable, RG58CU, 40m, black, MIL-C-17F	67,28	80,73	40	
920050-B	CA-RG58CU-B-50m	AC-CA-RG58CU-B-50m	50 Ohm RF coaxial cable, RG58CU, 50m, black, MIL-C-17F	72,91	87,49	50	
920051-D	CA-RG58CU-B-100m	AC-CA-RG58CU-B-100m	50 Ohm RF coaxial cable, RG58CU, 100m, black, MIL-C-17F	130,76	156,91	100	
920052-D	CA-RG58CU-B-500m	AC-CA-RG58CU-B-500m	50 Ohm RF coaxial cable, RG58CU, 500m, black, MIL-C-17F	649,29	779,15	500	
920053-P	CA-RG59BU-B-10m	AC-CA-RG59BU-B-10m	75 Ohm RF coaxial cable, RG59BU, 10m, black, MIL-C-17F	26,11	31,33	10	
920054-P	CA-RG59BU-B-20m	AC-CA-RG59BU-B-20m	75 Ohm RF coaxial cable, RG59BU, 20m, black, MIL-C-17F	42,44	50,92	20	
920055-P	CA-RG59BU-B-30m	AC-CA-RG59BU-B-30m	75 Ohm RF coaxial cable, RG59BU, 30m, black, MIL-C-17F	57,62	69,14	30	
920056-B	CA-RG59BU-B-40m	AC-CA-RG59BU-B-40m	75 Ohm RF coaxial cable, RG59BU, 40m, black, MIL-C-17F	66,01	79,21	40	
920057-B	CA-RG59BU-B-50m	AC-CA-RG59BU-B-50m	75 Ohm RF coaxial cable, RG59BU, 50m, black, MIL-C-17F	82,46	98,95	50	
920058-D	CA-RG59BU-B-100m	AC-CA-RG59BU-B-100m	75 Ohm RF coaxial cable, RG59BU, 100m, black, MIL-C-17F	149,50	179,40	100	
920059-D	CA-RG59BU-B-500m	AC-CA-RG59BU-B-500m	75 Ohm RF coaxial cable, RG59BU, 500m, black, MIL-C-17F	738,30	885,96	500	
920060-B	CA-RG213U-B-10m	AC-CA-RG213U-B-10m	50 Ohm RF coaxial cable, RG213U, 10m, black, MIL-C-17F	49,57	59,48	10	
920061-B	CA-RG213U-B-20m	AC-CA-RG213U-B-20m	50 Ohm RF coaxial cable, RG213U, 20m, black, MIL-C-17F	90,74	108,88	20	
920062-B	CA-RG213U-B-30m	AC-CA-RG213U-B-30m	50 Ohm RF coaxial cable, RG213U, 30m, black, MIL-C-17F	135,70	162,84	30	
920063-B	CA-RG213U-B-40m	AC-CA-RG213U-B-40m	50 Ohm RF coaxial cable, RG213U, 40m, black, MIL-C-17F	180,90	217,07	40	
920064-B	CA-RG213U-B-50m	AC-CA-RG213U-B-50m	50 Ohm RF coaxial cable, RG213U, 50m, black, MIL-C-17F	226,09	271,31	50	
920065-D	CA-RG213U-B-100m	AC-CA-RG213U-B-100m	50 Ohm RF coaxial cable, RG213U, 100m, black, MIL-C-17F	400,66	480,79	100	
920066-D	CA-RG213U-B-500m	AC-CA-RG213U-B-500m	50 Ohm RF coaxial cable, RG213U, 500m, black, MIL-C-17F	1 997,67	2 397,20	500	
920067-B	CA-RG214U-B-10m	AC-CA-RG214U-B-10m	Double screened 50 Ohm RF coaxial cable, RG214U, 10m, black, MIL-C-17F	129,38	155,25	10	
920068-B	CA-RG214U-B-20m	AC-CA-RG214U-B-20m	Double screened 50 Ohm RF coaxial cable, RG214U, 20m, black, MIL-C-17F	252,43	302,91	20	
920069-B	CA-RG214U-B-30m	AC-CA-RG214U-B-30m	Double screened 50 Ohm RF coaxial cable, RG214U, 30m, black, MIL-C-17F	375,59	450,71	30	
920070-B	CA-RG214U-B-40m	AC-CA-RG214U-B-40m	Double screened 50 Ohm RF coaxial cable, RG214U, 40m, black, MIL-C-17F	496,00	595,19	40	
920071-B	CA-RG214U-B-50m	AC-CA-RG214U-B-50m	Double screened 50 Ohm RF coaxial cable, RG214U, 50m, black, MIL-C-17F	635,38	762,45	50	
920072-D	CA-RG214U-B-100m	AC-CA-RG214U-B-100m	Double screened 50 Ohm RF coaxial cable, RG214U, 100m, black, MIL-C-17F	1 246,83	1 496,20	100	
920073-D	CA-RG214U-B-500m	AC-CA-RG214U-B-500m	Double screened 50 Ohm RF coaxial cable, RG214U, 500m, black, MIL-C-17F	5 553,47	6 664,16	500	
920074-B	CA-HFWIRE10MM-B-10m	AC-CA-HFWIRE10MM-B-10m	HF installation wire, 10mm2, Cu tinned, black	100,51	120,61	10	
920075-B	CA-HFWIRE10MM-B-20m	AC-CA-HFWIRE10MM-B-20m	HF installation wire, 10mm2, Cu tinned, black	194,70	233,63	20	
920076-B	CA-HFWIRE10MM-B-30m	AC-CA-HFWIRE10MM-B-30m	HF installation wire, 10mm2, Cu tinned, black	286,35	343,62	30	
920077-B	CA-HFWIRE10MM-B-40m	AC-CA-HFWIRE10MM-B-40m	HF installation wire, 10mm2, Cu tinned, black	380,54	456,64	40	
920078-B	CA-HFWIRE10MM-B-50m	AC-CA-HFWIRE10MM-B-50m	HF installation wire, 10mm2, Cu tinned, black	473,46	568,15	50	
920079-D	CA-HFWIRE10MM-B-100m	AC-CA-HFWIRE10MM-B-100m	HF installation wire, 10mm2, Cu tinned, black	963,13	1 155,75	100	
920080-D	CA-HFWIRE10MM-B-500m	AC-CA-HFWIRE10MM-B-500m	HF installation wire, 10mm2, Cu tinned, black	4 626,80	5 552,15	500	
920082-B	CA-HF400-B-10m	AC-CA-HF400-B-10m	50 Ohm RF low loss coaxial cable , black, Flame retardent, Halogen free	93,04	111,64	10	
920083-B	CA-HF400-B-20m	AC-CA-HF400-B-20m	50 Ohm RF low loss coaxial cable , black, Flame retardent, Halogen free	175,84	211,00	20	
920084-B	CA-HF400-B-30m	AC-CA-HF400-B-30m	50 Ohm RF low loss coaxial cable , black, Flame retardent, Halogen free	261,28	313,54	30	
920085-B	CA-HF400-B-40m	AC-CA-HF400-B-40m	50 Ohm RF low loss coaxial cable , black, Flame retardent, Halogen free	349,14	418,97	40	
920086-B	CA-HF400-B-50m	AC-CA-HF400-B-50m	50 Ohm RF low loss coaxial cable , black, Flame retardent, Halogen free	434,59	521,50	50	
920081-D	CA-HF400-B-70m	AC-CA-HF400-B-70m	50 Ohm RF low loss coaxial cable , black, Flame retardent, Halogen free	570,17	684,20	70	
CABLE SETS							
992000-P	WIREKIT-01	AC-WIREKIT-01	Wire Installation Kit for KUM8XX and KUM9XX antennas: 5m HF installation wire, 63kV Insulator, tube clamp Ø40mm, shackles, cable and wire clamps, timble	132,48	158,98		

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV	PV	Gain	Frequency
				(EUR/HT)	(EUR/TTC)	(dBd/Marine)	(MHz)
992001-P	WIREKIT-02	AC-WIREKIT-02	Wire Installation Kit for KUM8XX and KUM9XX antennas: 8m HF installation wire, 100kV Insulator, tube clamp Ø40mm, shackles, cable and wire clamps, timble	180,21	216,25		
920025-A	CA-58-010FFFF-AFMUM	AC-CA-58-010FFFF-AFMUM	Cable 1m RG58C/U with 2 x FME-female connectors & 2 x FME-male/UHF-male adapters	25,76	30,91		
920012-A	R070F (*1)	AC-R070F (*1)	Cable 1m RG58C/U with FME-female and TNC-male	16,10	19,32		
920010-A	R080F (*1)	AC-R080F (*1)	Cable 1m RG58C/U with FME-female and N-male	17,25	20,70		
920024-A	CA-58-016FFFF-AFMUM	AC-CA-58-016FFFF-AFMUM	Cable 1.6m RG58C/U with 2 x FME-female connectors & 2 x FME-male/UHF-male adapters	29,33	35,19		
920022-A	CA-58-030NM-UM	AC-CA-58-030NM-UM	Cable 3m RG58C/U with N-male & UHF-male connectors	25,76	30,91		
920023-A	CA-58-030FFFF-AFMUM	AC-CA-58-030FFFF-AFMUM	Cable 3m RG58C/U with 2 x FME-female connectors & 2 x FME-male/UHF-male adapters	34,50	41,40		
920021-A	CA-58-060FFFF-AFMUM	AC-CA58-060FFFFAFMUM	Cable 6m RG58C/U with 2 x FME-female connectors & 2 x FME-male/UHF-male adapters	39,45	47,33		
900020-P	N280-02F	AC-N280-02F	Cable 6m RG58C/U & 1 pc PL259/UHF-male connector	25,76	30,91		
920006-A	R500F (*1)	AC-R500F (*1)	Cable 7m RG58C/U with FME-female and TNC-male connectors	21,85	26,22		
920013-A	R050F (*1)	AC-R050F (*1)	Cable 8m RG58C/U with UHF and FME connectors and UHF-male/FME-male adaptor	24,15	28,98		
920019-A	CA-58-100NM-UM (*1)	AC-CA-58-100NM-UM (*1)	Cable 10m RG58C/U with N-male & UHF-male connectors	28,75	34,50		
920018-A	CA-58-100UM-UM (*1)	AC-CA-58-100UM-UM (*1)	Cable 10m RG58C/U with 2 x UHF-male connectors	28,75	34,50		
920020-A	CA-58-100FFFF-AFMUM	AC-CA58-100FFFFAFMUM	Cable 10m RG58C/U with 2 x FME-female connectors & 2 x FME-male/UHF-male adapters	44,62	53,54		
920015-A	R015F (*1)	AC-R015F (*1)	Cable 10m RG58C/U with 2 x FME-male	21,85	26,22		
920009-A	R200F (*1)	AC-R200F (*1)	Cable 10m RG58C/U with FME-female and BNC-male connectors	24,15	28,98		
920007-A	R225F (*1)	AC-R225F (*1)	Cable 10m RG58C/U with FME-female and TNC-male connectors	26,45	31,74		
920037-A	R101F (*1)	AC-R101F (*1)	Cable 15m RG58C/U, FME-male/FME-male separate connectors	25,30	30,36		
920014-A	R040F (*1)	AC-R040F (*1)	Cable 18m RG58C/U with UHF and FME connectors and UHF-male/FME-male adaptor	31,05	37,26		
920000-A	T281-01F	AC-T281-01F	Cable 20m RG58C/U and 1 pc PL259/UHF-male connector	44,62	53,54		
(*) Note: limited stock							
CONNECTORS							
910000-A	BNC	AC-BNC	BNC-male crimp for RG58C/U cable	2,99	3,59		
910006-A	K020F	AC-K020F	BNC-Male crimp for RG213/RG214	9,20	11,04		
910015-A	BNC/FME (*1)	AC-BNC/FME (*1)	Adaptor BNC/FME	4,49	5,38		
910014-A	FME	AC-FME	FME-female crimp for RG58C/U cable	1,96	2,35		
910013-A	FME/RG213	AC-FME/RG213	FME-female crimp for RG213/RG214 cable	6,33	7,59		
910039-A	HF400-FME (*1)	AC-HF400-FME (*1)	FME-female crimp for HF400	5,06	6,07		
910007-A	K015F	AC-K015F	N-male crimp for RG58C/U cable	6,90	8,28		
910002-A	N-Fem RG58	AC-N-Fem RG58	N-Female crimp for RG58 cable	6,33	7,59		
910001-A	N	AC-N	N-male crimp for RG213/RG214 cable	6,67	8,00		
910034-A	HF400-N	AC-HF400-N	N male crimp connector for HF400 cable	5,75	6,90		
910023-A	N/FME (*1)	AC-N/FME (*1)	Adaptor N-male/FME-male	6,67	8,00		
910004-A	K030F	AC-K030F	SMA male crimp for RG58 cable	5,75	6,90		
910035-A	HF400-SMA	AC-HF400-SMA	SMA male crimp connector for HF400 cable	5,06	6,07		
910003-A	TNC	AC-TNC	TNC-male crimp for RG58C/U cable	2,53	3,04		
910005-A	K025F	AC-K025F	TNC-Male crimp for RG213/RG214 cable	9,09	10,90		
910036-A	HF400-TNC	AC-HF400-TNC	TNC male crimp connector for HF400 cable	4,72	5,66		
910026-A	TNC/FME (*1)	AC-TNC/FME (*1)	Adaptor TNC-male/FME-male	3,57	4,28		
910008-A	K009F	AC-K009F	UHF (PL259)-male crimp for RG58C/U cable	3,57	4,28		
910016-A	K011F (*1)	AC-K011F (*1)	UHF (PL259)-female solder RG58C/U cable	5,64	6,76		
910010-A	K007F	AC-K007F	UHF (PL259)-male solder for RG58C/U and RG213 cable, Teflon, twist-on version	5,18	6,21		
910009-A	K008F	AC-K008F	UHF (PL259)-male crimp for RG213/RG214 cable	4,49	5,38		
910028-A	UHF/FME	AC-UHF/FME	Adaptor UHF-male/FME-male connector	4,95	5,93		
(*) Note: limited stock							

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV (EUR/HT)	PV (EUR/TTC)	Gain (dBd/Marine)	Frequency (MHz)
MOUNTS AND ACCESSORIES							
900037-B	E179F	AC-E179F	Deck mounting flange chrome brass, 1 1/4" 11TPI male	45,54	54,65		
900038-B	E180F	AC-E180F	Deck mounting flange SS316, 1 1/4" 11TPI male	52,33	62,79		
990017-P	H001F	AC-H001F	Cable feed-through for RG213	6,21	7,45		
990011-P	H010F	AC-H010F	Cable feed-through for RG58	8,63	10,35		
990012-P	H012F	AC-H012F	Cable feed-through for RG58 and RG213 cable in PVC	5,75	6,90		
990013-A	H022F	AC-H022F	PBT insulator, large, without shackles	24,50	29,39		
990014-A	H023F	AC-H023F	PBT insulator, small, without shackles	13,00	15,59		
990015-A	H030F (*1)	AC-H030F (*1)	PBT stand off for MF and HF	29,67	35,60		
990016-A	H040F	AC-H040F	PBT feed-through for wire antennas MF and HF	40,14	48,16		
990008-A	K001F	AC-K001F	Jointing clamp 25-35mm2 conductor for KUM antennas, for wire installations	5,75	6,90		
990003-P	K483F	AC-K483F	Connection box for KUM48X, KUM60X and KUM7XX, for coaxial cable instalations, Tx/Rx	69,00	82,80		
990004-P	K487F	AC-K487F	Connection box for KUM803, KUM850, KUM903 and KUM950, for coaxial cable installations, Tx/Rx	69,00	82,80		
990005-P	K493F	AC-K493F	Connection transformer box for KUM48X, KUM60X and KUM7XX, for coax cable installations, Rx only	96,60	115,92		
990006-P	K537F	AC-K537F	Connection transformer box for KUM803, KUM850, KUM903 and KUM950, for coax cable installations, Rx only	96,60	115,92		
900049-A	N090F (*1)	AC-N090F (*1)	Galvanised clamp for side mast mounting KUM480, KUM60X and KUM70X, Ø 80-100mm	28,75	34,50		
900068-T	N095-SET	AC-N095F	2xN095F in a tube, SS316, clamp for side mast mounting KUM480, KUM60X and KUM70X, Ø 30-100mm	96,49	115,78		
900067-T	N115F-SET	AC-N115F	2xN115F in a tube, SS316, clamp for side mast mounting KUM8XX and KUM9XX, Ø 38-70mm	111,55	133,86		
900002-P	N157F	AC-N157F	Heavy duty universal angle mast mount, SS316, incl. 1" nut and washer set for 1" 14TPI antennas, e.g. CX4 etc., Ø20-26mm.	32,55	39,05		
900002-X	N157F-10	AC-N157F-10	Heavy duty universal angle mast mount, SS316, incl. 1" nut and washer set for 1" 14TPI antennas, e.g. CX4 etc. Volume set of 10 pcs., Ø20-26mm.	289,80	347,76		
900002-L	N157F-50	AC-N157F-50	Heavy duty universal angle mast mount, SS316, incl. 1" nut and washer set for 1" 14TPI antennas, e.g. CX4 etc. Volume set of 50 pcs., Ø20-26mm.	1 242,00	1 490,40		
900002-C	N157F-100	AC-N157F-100	Heavy duty universal angle mast mount, SS316, incl. 1" nut and washer set for 1" 14TPI antennas, e.g. CX4 etc. Volume set of 100 pcs., Ø20-26mm.	2 196,50	2 635,80		
900003-P	N158F	AC-N158F	Heavy duty universal angle mast mount, SS316, incl. 1" bolt for 1" 14TPI ferrule antennas, e.g. CELmar2-x, CELwin2, FAME2, CELseaGSMx etc., Ø20-26mm.	39,22	47,06		
900004-P	N162F	AC-N162F	Angle mast mount incl. 1" 14TPI nut and washer. Ø5/8" & Ø1" for antennas, such as CX4-3 etc.	16,45	19,73		
900005-P	N163F	AC-N163F	Angle mast mount excl. nut and washer. Ø5/8" & Ø1" for antennas, such as CELmar1-1 etc.	9,20	11,04		
900006-B	N171F	AC-N171F	Angle mast mount, SS316, incl. 1" 14TPI washer and nut and U-clamp set for Ø30-61mm	40,14	48,16		
900007-B	N171FB	AC-N171FB	Angle mast mount, SS316, incl. 1" 14 TPI male bolt for ferrule antennas and U-clamp set for 30-61mm	45,54	54,65		
900069-B	N171FBS	AC-N171FBS	Angle mast mount, SS316, incl. 1" 14 TPI short male bolt for ferrule antennas and U-clamp set for 30-61mm	45,54	54,65		
900008-B	N172F	AC-N172F	Angle mast mount with alignment beads, SS316, incl. 1" 14TPI washer, nut and U-clamp set for Ø30-61mm.	44,05	52,85		
900009-B	N172FB	AC-N172FB	Angle mast mount with alignment beads, SS316, incl. 1" 14 TPI male bolt for ferrule antennas and U-clamp set for Ø30-61mm	49,57	59,48		
900010-B	N173F	AC-N173F	Angle mast mount with alignment beads, SS316, incl. 1" 14TPI washer, nut and U-clamp set for Ø49-90mm.	48,42	58,10		
900012-B	N173FB	AC-N173FB	Angle mast mount with alignment beads; SS316, incl. 1" 14 TPI male bolt for ferrule antennas and U-clamp set for Ø49-90mm	53,71	64,45		
900057-B	N174F	AC-N174F	Angle mast mount with alignment beads, SS316, incl. 1" 14TPI washer, nut and U-clamp set for Ø30-61mm.	46,35	55,61		
900059-B	N174FB	AC-N174FB	Angle mast mount with alignment beads, SS316, incl. 1" 14 TPI male bolt for ferrule antennas and U-clamp set for Ø30-61mm	51,64	61,96		
900066-B	N175F	AC-N175F	Angle mast mount with alignment beads, SS316, nut and U-clamp set for Ø30-61mm. For GNSS antennas	44,05	52,85		
990018-P	N200F	AC-N200F	Upper support 1", 1 1/4" and 1 1/2", white	12,54	15,04		
900035-P	N210F	AC-N210F	Rail mount 22-30mm, 1" 14TPI male, white	11,62	13,94		
900013-P	N220F	AC-N220F	Mast mount, SS316, 1" 14TPI male and U-clamp set for Ø26-46mm	44,05	52,85		
900014-P	N239F	AC-N239F	Antenna thread mount with gasket, 1 1/4" 11TPI female	9,78	11,73		
900015-P	N240F	AC-N240F	Antenna thread mount with gasket, 1 1/4" 11TPI female	11,27	13,52		
900016-A	N243F	AC-N243F	Black rubber cover	5,06	6,07		
900039-P	N245F	AC-N245F	Clamp for side mounting, SS304, 1 1/4" - 2 3/4", Ø31-60mm	29,67	35,60		
900040-A	N249F	AC-N249F	Rail mount, 1" 14TPI male, PVC	11,27	13,52		
900042-A	N254F (*1)	AC-N254F (*1)	Rail mount with handle, 1" 14TPI male, PVC	11,39	13,66		
900043-A	N255F	AC-N255F	Deck mount, 1" 14TPI male, PVC	3,34	4,00		
900017-B	N270F	AC-N270F	Heavy duty weight, solid brass, white lacquer, mast/wall mount, 1.25" 11TPI male and U-clamp set for Ø25-74mm	97,52	117,02		
900017-X	N270F-10	AC-N270F-10	Heavy duty weight, solid brass, white lacquer, mast/wall mount, 1.25" 11TPI male and U-clamp set for Ø25-74mm. Volume set of 10 pcs.	908,50	1 090,20		
900017-L	N270F-50	AC-N270F-50	Heavy duty weight, solid brass, white lacquer, mast/wall mount, 1.25" 11TPI male and U-clamp set for Ø25-74mm. Volume set of 50 pcs.	4 370,00	5 244,00		
900017-C	N270F-100	AC-N270F-100	Heavy duty weight, solid brass, white lacquer, mast/wall mount, 1.25" 11TPI male and U-clamp set for Ø25-74mm. Volume set of 100 pcs.	8 280,00	9 936,00		
900060-B	N274F	AC-N274F	Universal mast mount, Anodised Aluminium, black lacquer, 1.25" 11TPI male and U-clamp set for Ø20-58mm	53,71	64,45		
900060-X	N274F-10	AC-N274F-10	Universal mast mount, Anodised Aluminium, black lacquer, 1.25" 11TPI male and U-clamp set for Ø20-58mm. Volume set of 10 pcs.	506,00	607,20		
900060-L	N274F-50	AC-N274F-50	Universal mast mount, Anodised Aluminium, black lacquer, 1.25" 11TPI male and U-clamp set for Ø20-58mm. Volume set of 50 pcs.	2 242,50	2 691,00		

PV
AC ANTENNAS
2024

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV	PV	Gain	Frequency
				(EUR/HT)	(EUR/TTC)	(dBd/Marine)	(MHz)
900060-C	N274F-100	AC-N274F-100	Universal mast mount, Anodised Aluminium, black lacquer, 1.25" 11TPI male and U-clamp set for Ø20-58mm. Volume set of 100 pcs.	4 140,00	4 968,00		
900061-B	N274FW	AC-N274FW	Universal mast mount, Anodised Aluminium, white lacquer, 1.25" 11TPI male and U-clamp set for Ø20-58mm.	53,71	64,45		
900061-X	N274FW-10	AC-N274FW-10	Universal mast mount, Anodised Aluminium, white lacquer, 1.25" 11TPI male and U-clamp set for Ø20-58mm. Volume set of 10 pcs.	506,00	607,20		
900061-L	N274FW-50	AC-N274FW-50	Universal mast mount, Anodised Aluminium, white lacquer, 1.25" 11TPI male and U-clamp set for Ø20-58mm. Volume set of 50 pcs.	2 242,50	2 691,00		
900061-C	N274FW-100	AC-N274FW-100	Universal mast mount, Anodised Aluminium, white lacquer, 1.25" 11TPI male and U-clamp set for Ø20-58mm. Volume set of 100 pcs.	4 140,00	4 968,00		
900018-B	N275F	AC-N275F	Universal mast mount, Anodised Aluminium, black lacquer, 1" 14TPI female and U-clamp set for Ø20-58mm.	53,71	64,45		
900018-X	N275F-10	AC-N275F-10	Universal mast mount, Anodised Aluminium, black lacquer, 1" 14TPI female and U-clamp set for Ø20-58mm. Volume set of 10 pcs.	506,00	607,20		
900018-L	N275F-50	AC-N275F-50	Universal mast mount, Anodised Aluminium, black lacquer, 1" 14TPI female and U-clamp set for Ø20-58mm. Volume set of 50 pcs.	2 242,50	2 691,00		
900018-C	N275F-100	AC-N275F-100	Universal mast mount, Anodised Aluminium, black lacquer, 1" 14TPI female and U-clamp set for Ø20-58mm. Volume set of 100 pcs.	4 140,00	4 968,00		
900062-B	N275FW	AC-N275FW	Universal mast mount, Anodised Aluminium, white lacquer, 1" 14TPI female and U-clamp set for Ø20-58mm.	53,71	64,45		
900062-X	N275FW-10	AC-N275FW-10	Universal mast mount, Anodised Aluminium, white lacquer, 1" 14TPI female and U-clamp set for Ø20-58mm. Volume set of 10 pcs.	506,00	607,20		
900062-L	N275FW-50	AC-N275FW-50	Universal mast mount, Anodised Aluminium, white lacquer, 1" 14TPI female and U-clamp set for Ø20-58mm. Volume set of 50 pcs.	2 242,50	2 691,00		
900062-C	N275FW-100	AC-N275FW-100	Universal mast mount, Anodised Aluminium, white lacquer, 1" 14TPI female and U-clamp set for Ø20-58mm. Volume set of 100 pcs.	4 140,00	4 968,00		
900034-P	N276F (*1)	AC-N276F (*1)	30cm extension mast in Aluminium, white with chrome ferrule, 1" 14TPI male/female adapter	25,65	30,77		
990009-P	N280F	AC-N280F	Adaptor with 6m/20ft cable RG58C/U and 1 pc PL259/UHF-male connector, 1" 14TPI female & 1 1/4" 11TPI male	46,81	56,17		
900019-P	N280-01F	AC-N280-01F	Adaptor 1" 14TPI female to 1" 14TPI female	21,28	25,53		
900021-P	N280-03F	AC-N280-03F	Adaptor 1" 14TPI female & 1 1/4" 11TPI male, cable hole on the side	36,23	43,47		
900022-P	N280-04F	AC-N280-04F	Adaptor 1" 14TPI female & 1 1/4" 11TPI male	33,81	40,57		
900023-P	N280-05F	AC-N280-05F	Adaptor 1" 14TPI female & 1 1/4" 11TPI male, cable hole on the side, 25 cm long	66,01	79,21		
900044-B	N285F	AC-N285F	4-way ratchet mount chromed brass, 1" 14TPI male	94,88	113,85		
900064-B	N286Fe	AC-N286Fe	Heavy duty 4-way ratchet mount, SS316, 1" 14TPI male (small footprint)	51,75	62,10		
900046-B	N288F	AC-N288F	Deckmount in stainless steel, 1" 14TPI male	21,51	25,81		
900047-B	N290F	AC-N290F	4-way ratchet mount PVC, 1" 14TPI male	12,65	15,18		
900063-A	N294Fe	AC-N294F	Adapter chrome brass 1 1/4" 11TPI to 1" 14TPI for torque wrench	12,65	15,18		
900026-A	N295F	AC-N295F	1" male bolt for 1"-14TPI ferrule antennas, e.g. CELmar2-x, CELtwin2 etc. Fits N163F and N157F mounts for usage with 1" 14TPI ferrule antennas	11,50	13,80		
900024-A	N295-02F	AC-N295-02F	Nut for 1" 14TPI antennas, e.g. CX4, CX3 5/8, CEL3B, etc	5,98	7,18		
900025-A	N295-03F (*1)	AC-N295-03F (*1)	Washer for Ø 1" antennas stainless steel	1,61	1,93		
900027-P	N298F	AC-N298F	Mast mount in SS316, 1 1/4" 11TPI, incl. U-clamp set for Ø26-46mm	57,85	69,41		
991008-P	PD32-5 (*1)	AC-PD32-5 (*1)	Fiberglass 3.0m,extension mast Ø25mm, 1" 14TPI & 1 1/4" 11TPI	63,37	76,04		
990000-A	VHF/GPS-FILTER	AC-VHF/GPS-FILTER	Filter for VHF/GPS-GLONASS application. For the VHF/GPS antenna series.	75,90	91,08		
993000-A	TAPE-01	AC-TAPE-01	Vulcanizing tape for installation	7,02	8,42		
993001-A	TAPE-02	AC-TAPE-02	Electrician tape for installation	2,30	2,76		
990044-B	CRIMPING TOOL HF400	AC-CRIMPING TOOL HF400	Crimping Tool Set for HF400	103,50	124,20		
(*) Note: limited stock				0,00	0,00		

PV
AC ANTENNAS
2024

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV	PV	Gain (dBd/Marine)	Frequency (MHz)
				(EUR/HT)	(EUR/TTC)		
PART NUMBER - DEFINITION							
1XXXX-	VHF	AC-VHF	VHF antennas				
10XXXX-	VHF 0dBd	AC-VHF 0dBd	VHF 0dBd antennas				
13XXXX-	VHF 3dBd	AC-VHF 3dBd	VHF 3dBd antennas				
15XXXX-	VHF 5dBd	AC-VHF 5dBd	VHF 5dBd antennas				
2XXXX-	HF/SSB	AC-HF/SSB	HF/SSB antennas				
2XXX00-	HF/SSB Basis	AC-HF/SSB Basis	HF/SSB antennas for Wire installation, Tx/Rx, or active broadband compact antennas				
2XXX01-	HF/SSB "-1"	AC-HF/SSB "-1"	HF/SSB antennas for Coax installation, Tx/Rx				
2XXX02-	HF/SSB "-2"	AC-HF/SSB "-2"	HF/SSB antennas for Coax installation, Rx only				
2XXX03-	HF/SSB MWM Basis	AC-HF/SSB MWM Basis	HF/SSB MWM (MastWallMount) antennas for Wire installation, Tx/Rx				
2XXX04-	HF/SSB MWM "-1"	AC-HF/SSB MWM "-1"	HF/SSB MWM (MastWallMount) antennas for Coax installation, Tx/Rx				
2XXX05-	HF/SSB MWM "-2"	AC-HF/SSB MWM "-2"	HF/SSB MWM (MastWallMount) antennas for Coax installation, Rx only				
2XXX06-	HF/SSB DM Basis	AC-HF/SSB DM Basis	HF/SSB DM (DeckMount) antennas for Wire installation, Tx/Rx				
2XXX07-	HF/SSB DM "-1"	AC-HF/SSB DM "-1"	HF/SSB DM (DeckMount) antennas for Coax installation, Tx/Rx				
2XXX08-	HF/SSB DM "-2"	AC-HF/SSB DM "-2"	HF/SSB DM (DeckMount) antennas for Coax installation, Rx only				
2XXX09-	HF/SSB DMC Basis	AC-HF/SSB DMC Basis	HF/SSB DMC (DeckMountCompatible) antennas for Wire installation, Tx/Rx				
2XXX10-	HF/SSB DMC "-1"	AC-HF/SSB DMC "-1"	HF/SSB DMC (DeckMountCompatible) antennas for Coax installation, Tx/Rx				
2XXX11-	HF/SSB DMC "-2"	AC-HF/SSB DMC "-2"	HF/SSB DMC (DeckMountCompatible) antennas for Coax installation, Rx only				
2XXX12-	HF/SSB Miscellaneous	AC-HF/SSB Miscellaneous	HF/SSB Miscellaneous antennas				
2XXX20-	HF/SSB MWMe Basis	AC-HF/SSB MWMe Basis	HF/SSB MWMe (MastWallMount) antennas for Wire installation, Tx/Rx				
2XXX21-	HF/SSB MWMe "-1"	AC-HF/SSB MWMe "-1"	HF/SSB MWMe (MastWallMount) antennas for Coax installation, Tx/Rx				
2XXX22-	HF/SSB MWMe "-2"	AC-HF/SSB MWMe "-2"	HF/SSB MWMe (MastWallMount) antennas for Coax installation, Rx only				
3XXXX-	UHF	AC-UHF	UHF antennas				
30XXXX-	UHF 0dBd	AC-UHF 0dBd	UHF 0dBd antennas				
33XXXX-	UHF 3dBd	AC-UHF 3dBd	UHF 3dBd antennas				
35XXXX-	UHF 5dBd	AC-UHF 5dBd	UHF 5dBd antennas				
4XXXX-	OTHER	OTHER	Other antennas				
40XXXX-	OTHER	OTHER	Other 0dBd antennas				
43XXXX-	OTHER	OTHER	Other 3dBd antennas				
45XXXX-	OTHER	OTHER	Other 5dBd antennas				
46XXXX-	OTHER	OTHER	Other 6dBd antennas				
49XXXX-	OTHER	OTHER	Other GNSS antennas				
5XXXX-							
6XXXX-							
7XXXX-							
8XXXX-							
90XXXX-	MOUNTS	MOUNTS	Mounts				
91XXXX-	CONNECTORS	CONNECTORS	Connectors				
92XXXX-	CABLES	CABLES	Cables and cable sets				
99XXXX-	MISCELLANEOUS	MISCELLANEOUS	Miscellaneous				
XXXXXX-A	NONE	NONE	No packaging				
XXXXXX-B	BOX	BOX	Packed in a Box or Carton				
XXXXXX-D	DRUM	DRUM	Rolled on a Drum				

PV
AC ANTENNAS
2024

Part No. (#)	Product Name (name)	Product Name (name)	Description (short description)	PV (EUR/HT)	PV (EUR/TTC)	Gain (dBd/Marine)	Frequency (MHz)
XXXXXX-T	TUBE	TUBE	Packed in a Tube				
XXXXXX-P	PLASTIC BAG	PLASTIC BAG	Packed in Plastic Bag				
XXXXXX-V	5 PCS	5 PCS	5 pcs volume pack				
XXXXXX-X	10 PCS	10 PCS	10 pcs volume pack				
XXXXXX-L	50 PCS	50 PCS	50 pcs volume pack				
XXXXXX-C	100 PCS	100 PCS	100 pcs volume pack				